## **QUICK REFERENCE GUIDE**

**LYNDONS Construction Products** 

CHEMICAL HOUSE



PRODUCT SELECTION	Ba	se		Fir	nish																												
									r	rotec	t			Lif	e Spc	ın			Cond	rete			Clo	ау		N	atura	l Sto	ne		Fl	ooring	
-	Solvent based	Water Based	Gloss	Matt	Natural	Wet Look	Stain Resistant	Water Repellent	Oil & Water Repellent	Hot Tyre Marking	Fuel Resistant	Slip Rating	Aniti-Skid Media Compatible	* *	* * * *	* * * * *	Blocks	Exposed Aggregate	Garden Edging	Driveway	Plain	Stamped/Stencilled	Brick	Pavers	Granite - Porcelain	Marble - Limestone	Sandstone	Slate	Terracotta	Terrazzo	Vinyl		limber & Cork
ACRYLIC SEALERS																																	
COLONG NO COM			$\checkmark$			✓	✓	$\checkmark$	✓			X	$\checkmark$	$\checkmark$				$\checkmark$		✓	✓	$\checkmark$	$\checkmark$	$\checkmark$						✓			
3010 KG 1 IIII 2 IIII	/		$\checkmark$			✓	✓	✓	✓			X	$\checkmark$	$\checkmark$				$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$						$\checkmark$			
COLONO TOPOCO.	/		✓			✓	✓	✓	✓	$\checkmark$	$\checkmark$	X	$\checkmark$		✓		$\checkmark$			$\checkmark$	$\checkmark$	$\overline{\mathbf{V}}$	$\checkmark$	$\checkmark$				$\checkmark$		$\checkmark$			
				✓		✓	✓	$\checkmark$	✓	$\checkmark$	$\checkmark$	×	$\checkmark$		✓		$\checkmark$	$\checkmark$		✓	✓		$\checkmark$	$\checkmark$									
	/						$\checkmark$	✓	✓			X	$\checkmark$	$\checkmark$				$\checkmark$	$\checkmark$							$\overline{\mathbf{V}}$		$\checkmark$		$\checkmark$			
5515 K 5 1141 4 5541	/		$\checkmark$			✓	$\checkmark$	$\checkmark$	✓			X	$\checkmark$	$\checkmark$				$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$						$\checkmark$			
3010 K 3 F 1 Mg 1 2 G 1 Mg 1 2 G 1 Mg 1 2 G 1 Mg 1	/		$\checkmark$			✓	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$	X	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$									
	/		✓			✓	✓	✓	✓		$\checkmark$	X	$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$									
COLORO Onecoat			✓			✓	$\checkmark$	✓	✓			X	$\checkmark$	$\checkmark$				$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$									
COLORO Concrete Sealer - Gloss		$\checkmark$	$\checkmark$			✓	$\checkmark$	$\checkmark$	✓			X	$\checkmark$	$\checkmark$				$\checkmark$		$\checkmark$	$\checkmark$	$\overline{\mathbf{V}}$	$\checkmark$	$\checkmark$									
COLORO Concrete Sealer - Matt		$\checkmark$		$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	✓			X	$\checkmark$	$\checkmark$				$\checkmark$		$\checkmark$	$\checkmark$	$\overline{\mathbf{V}}$	$\checkmark$	$\checkmark$									
PENETRATING SEALERS																																	
COLORO Silicone Water Repellent					$\checkmark$			$\checkmark$								$\checkmark$	$\checkmark$	$\checkmark$			$\checkmark$		<b>√</b>	$\checkmark$					$\checkmark$				
COLORO Silicone Water Repellent WB		$\checkmark$			$\checkmark$			$\checkmark$							$\checkmark$		$\checkmark$	✓			$\checkmark$		<b>√</b>	$\checkmark$	<b>√</b>	$\checkmark$	✓		$\checkmark$				
COLORO Masonry Oil & Water Repellent					$\checkmark$				<b>✓</b>							$\checkmark$	$\checkmark$	$\checkmark$			$\checkmark$		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$				
COLORO Enhance						✓			<b>✓</b>							$\checkmark$			$\checkmark$						<b>√</b>	$\checkmark$	✓	$\checkmark$	$\checkmark$	$\checkmark$			
COLORO Monsoon						$\checkmark$			<b>✓</b>							$\checkmark$	$\checkmark$	✓					<b>√</b>	$\checkmark$									
COLORO Satin Seal						✓		<b>✓</b>								$\checkmark$		<b>√</b>															
COLORO Terra-Seal - Natural					✓				<b>✓</b>							$\checkmark$							<b>√</b>	<b>✓</b>			✓		✓				
COLORO Terra-Seal - Natural WB		$\checkmark$			✓				<b>✓</b>						✓								<b>√</b>	✓			✓		$\checkmark$				
COLORO Glass & Porcelain	/				✓				✓							✓									✓	V		$\overline{\mathbf{V}}$	$\checkmark$	$\checkmark$			
COLORO Shield Plus		$\checkmark$			✓				✓							$\checkmark$	✓	✓			$\checkmark$		<b>√</b>	$\checkmark$	<b>✓</b>	$\checkmark$	<b>√</b>		$\checkmark$				
POLYURETHANE SEALERS																																	
COLORO Opticlear - Gloss		$\checkmark$	$\checkmark$				<b>✓</b>	$\checkmark$	✓			X	$\checkmark$			$\checkmark$					$\checkmark$	$\checkmark$			✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$			
COLORO Opticlear - Matt		✓		✓			✓	✓	✓			X	✓			$\checkmark$					✓	$\checkmark$			✓	✓	$\checkmark$	✓	✓	$\checkmark$			
COLORO Opticlear - Satin		<b>✓</b>				✓	✓	<b>✓</b>	<b>√</b>			X	✓			$\checkmark$					$\checkmark$	$\checkmark$			<b>√</b>	✓	$\checkmark$	$\checkmark$	✓	$\checkmark$			
FLOOR POLLISH																																	
COLORO Vertex Pollish		$\checkmark$	✓				$\checkmark$	$\checkmark$						$\checkmark$											$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	✓

PLEASE NOTE As there are many variations to each substrate listed above, the products for substrate guide are suggestions only. Refer to Product Data Sheet for details on application & Safety Data Sheet for safety & first aid. IMPORTANT Refer to technical staff for advice on ALL wet areas such as shower recess and swimming pool surrounds.

☑ Refer to technical data and PDS for further instructions

<sup>•</sup> Life Span is a rating based on the durability and type of product - topical or penetrating sealer.

ARMADILLO	Q	R (	GU	ID	E -	. D	EN	ISI	FIE	RS	5										
	Во	ise		P	urpo	se		Eas	e of	Use		Su	bstro	ite		D	ensi	ly	Аp	plica	tion
PRODUCT SELECTION	Solvent Based	Water Based	Oustproofing	Rain Damage Repair	-loor Pollishing	Moisture Barrier	Chemical Resistance	***	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	GREEN Concrete	VEW Concrete	4GED Concrete	DAMAGED Concrete	POLLISHED Concrete	* * *	* * * *	* * * * *	Spray	Broom	Mechanical Scrubber
SURFACE HARDENERS																					
COLORO Sodium Densifier		$\checkmark$	$\checkmark$	✓				✓				$\checkmark$	✓	$\checkmark$		$\checkmark$			✓	$\checkmark$	V
Armadillo D - Dustproof (Potassium)		<b>✓</b>	✓	✓					✓			✓	✓	✓			✓		✓	✓	✓
Armadillo K - Same Day Pour (Potassium)		$\checkmark$	$\checkmark$	✓	✓				✓		✓	✓	✓	✓	✓		✓		✓	✓	✓
Armadillo LK - Lithium Potassium Blend		<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>					✓		✓	✓	<b>✓</b>	✓			✓	<b>✓</b>	<b>✓</b>	✓
Armadillo L - Lithium Nano		$\checkmark$	<b>✓</b>	<b>✓</b>	<b>√</b>	$\checkmark$				✓		✓	<b>✓</b>	<b>✓</b>	$\checkmark$			✓	<b>✓</b>	<b>✓</b>	✓
Armadillo Colloidal		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		<b>✓</b>				✓	<b>√</b>	<b>√</b>	<b>✓</b>			✓	V	V	V
POLLISHING GROUTS																					
Concrete Pollishing Grout		$\checkmark$			<b>√</b>				✓			<b>√</b>	<b>✓</b>		<b>✓</b>			✓	<b>√</b>		
Concrete Pollishing Grout - SBR		<b>√</b>			<b>√</b>				<b>√</b>			<b>√</b>	$\checkmark$		$\checkmark$			$\checkmark$	$\checkmark$		

PLEASE NOTE As there are many variations to each substrate listed above, the products for substrate guide are suggestions only. Refer to Product Data Sheet for details on application & Safety Data Sheet for safety & first aid. IMPORTANT Refer to technical staff for advice on ALL wet areas such as shower recess and swimming pool surrounds.

lacktriangledown Refer to technical data and PDS for further instructions

• Rating based on ease of use and time to work in product due to molecule size.

<b>€</b> COLORO®	QR	G	UID	E -	SUI	RF#	CE	RE	TAI	RDE	RS			
		Sı	ubstra	te		Sur	face		Apply	/	Tir	me	Rem	oval
PRODUCT SELECTION	Footpaths	Slabs	Construction Joints	Tilt Panels VIRTICLE	Beams VIRTICLE	Horizontal	Vertical	Spray	Brush / Broom	4m SQ/Per Litre	2-12 Hours Removal	Up to 48 Hours Removal	Low Pressure Spray	Stiff Broom (loosen mortar)
SURFACE RETARDERS														
COLORO XPO50	✓	<b>√</b>	$\checkmark$			$\checkmark$		$\checkmark$		$\checkmark$	✓		✓	✓
COLORO XPO100	✓	✓	✓			<b>√</b>		✓		✓		✓	✓	✓
COLORO XPO FLUORO	✓	✓	✓			$\checkmark$		✓		✓		✓	✓	✓
COLORO VERTI-GEL			✓	✓	✓		✓		✓	✓		✓	✓	✓

PLEASE NOTE As there are many variations to each substrate listed above, the products for substrate guide are suggestions only. Refer to product data sheet for details on application & material safety data sheet for safety & first aid.

**IMPORTANT** Refer to technical staff for advice on ALL wet areas such as shower recess and swimming pool surrounds.

	Q	R	GU	IID	E -	. C	10	NC	RE	ΤE	F	NI	SH	IIN	IG															
	Вс	ıse		Clas	s AS	379	9		Ту	ре			В	ase	Res	in		DG			Арр	rovo	ıl			App	lica	tion		SQ
LYNDONS PRODUCT SELECTION	Р	ס						ar)	(Fugitive Dye)			ו Resin			sion		Rubber	Goods							ple		Compatible			Litre
	Solvent Based	Water Based	Class A	Class B	Class C	Class D	Class Z	Type 1 (Clear)	Type 1D (Fug	Туре 2	Туре 3	Hydrocarbon	Acrylic	Wax	Bitumen Emulsion	٨٨٩	Chlorinated Rubber	Dangerous G	483799	TMR	VIC Roads	RMS B80	RMSR82	RMSR83	UV Degradable	Debonding	Over Trades	Permanent	Strippable	5m SQ/Per Litre
MULTICURE BE - WATERBASED BITUMEN MEME	BRAN	NE CL	JRIN	G CO	MPC	UND	1																							
MULTICURE BE-20		<b>√</b>					<b>✓</b>				$\checkmark$				$\checkmark$				✓		✓	$\checkmark$	<b>√</b>	$\checkmark$				$\checkmark$		<b>√</b>
MULTICURE BE-40		<b>✓</b>					$\checkmark$				$\checkmark$				<b>√</b>				$\checkmark$		$\checkmark$	<b>√</b>	✓	<b>✓</b>				$\checkmark$		$\checkmark$
MULTICURE W - WAX EMULSION CURING COM	POU	IND	=				·											=												
MULTICURE W		✓	<b>√</b>						$\checkmark$					$\checkmark$					$\checkmark$	✓	✓	✓	$\checkmark$	$\checkmark$		$\checkmark$		$\checkmark$		$\checkmark$
MULTICURE W-30		✓	<b>✓</b>							<b>√</b>				✓					<b>√</b>	$\checkmark$	$\checkmark$	<b>√</b>	<b>✓</b>	<b>✓</b>		<b>√</b>		$\checkmark$		$\checkmark$
RFA TOPCURE - PVA BASE CURING COMPOUN	ID		=				·											=												
RFA TOPCURE		<b>√</b>														$\checkmark$											V		$\checkmark$	$\checkmark$
MULTICURE R - HYDROCARBON RESIN EMULSI	ON (	CURI	NG C	OME	OUN	1D																								
MULTICURE R		✓	✓						$\checkmark$			$\checkmark$							✓	$\checkmark$	$\checkmark$	✓	$\checkmark$	✓	✓		$\checkmark$		$\checkmark$	$\checkmark$
MULTICURE R-30		✓	<b>√</b>						✓			✓							<b>✓</b>	✓	✓	<b>√</b>	✓	<b>√</b>	$\checkmark$		V		<b>√</b>	✓
MULTICURE A - WATERBASED MEMBRANE CUR	RING	COV	ΛΡΟΙ	JND																										
MULTICURE A		✓				✓			$\checkmark$				✓						$\checkmark$	$\checkmark$	$\checkmark$	✓	$\checkmark$	<b>√</b>			$\overline{\mathbf{V}}$			$\checkmark$
MULTICURE CR - CHLORINATED RUBBER CURIN	IG C	OMP	OUN	ID																										
MULTICURE CR	$\checkmark$				✓				$\checkmark$								$\checkmark$	$\checkmark$	$\checkmark$		$\checkmark$	✓	$\checkmark$	✓			$\checkmark$	$\checkmark$		$\checkmark$
A-FILM - WATERBASED ALPHATIC ALCOHOL F	NISI	IING	CON	ΛΡΟΙ	JND									•	•		•													
A-FILM		$\checkmark$								N/A										✓					$\checkmark$		$\checkmark$			$\checkmark$
PLEASE NOTE As there are many variations to  Data Sheet for safety & form  ■ Refer to technical data and PDS for fur	irst a	id. II	MPO	RTA			-					-		_	-												licati	on &	Safe	ty

<b>€</b> COLORO®	QR	G	UID	E -	CLI	EAN	<b>1</b> &	PR	EP										
						E	FFEC	TIVE	REMC	VAL	& PRI	EPER/	ATIOI	N					
PRODUCT SELECTION	Blood - Wine	Chewing Gum	Crayon	Efflorescence	General dirt & grime	Grout - Mortar - Slurry	Concrete - Cement - Tools	Etch/Clean Surface	Mould	Nail Polish	Oil & grease	Stainless Steel Tea Stains	Iron Oxide (Brick Burn)	Paint	Rust	Timber	Tyre marks	Vanadium	Bondbreaker
COLORO HD Cleaner	<u> </u>		<b>√</b>		✓						✓		_	_		•			
COLORO Citri-Etch								✓											
COLORO Tile Etch								<b>√</b>											
COLORO Concrete Assassin						✓	✓												
Terracotta Tile Cleaner				✓		✓													
COLORO Brick N Tile				✓		✓													
Phosphoric Acid													✓						
Oxalic Acid													$\checkmark$						
Hydrochloric Acid (follow dilution rates PDS)								✓											
COLORO Spitser															✓	$\checkmark$		✓	
COLORO Panel Wash (Alkaline Degreaser)																			✓
Degreaser & Rust Remover (DRR)												✓							
Seal Strip														✓			$\checkmark$		
Foam Clean									✓										
Citrus Spotter		✓								✓									

Consult product data sheets for dilution rates, application details & material safety data sheets for safety.

**WARNING** To ensure no adverse reactions, always do a test in a small inconspicuous area first. As incorrect use of chemicals may cause damage.

<b>€</b> COLORO®	QR	G	UID	E -	STI	RIP	PER	S					
	Ac	lhesiv	es es	Seal	ers/C	lear (	Coats		Pa	int		Floo	ring
PRODUCT SELECTION				Acrylic	Polyurethane Disperison (PUD)	Urethanes	Penetrating - Silane/Siloxanne	Acrylics	Aklids	Ехроу	Graffiti	Polish	
COLORO EasiOrange	$\checkmark$	✓											
StripChief	✓	✓		<b>✓</b>	V	V				V		✓	
Eco-Orange Graffiti Remover													
Strip Seal				✓									
COLORO Thick Strip				✓									
Gypsie												$\checkmark$	
Graffiti Remover (EP8045)													
Paint Stripper				✓				✓	✓		✓		

PLEASE NOTE As there are many variations to each substrate listed above, the products for substrate guide are suggestions only. Refer to product data sheet for details on application & material safety data sheet for safety & first aid.

IMPORTANT Refer to technical staff for advice on ALL wet areas such as shower recess and swimming pool surrounds.

<b>€</b> COLORO®	QR	G	UID	E -	RE	LEA	SE	AG	EN	TS										
			٨	Nould	Туре	s			Til <del>t</del> Up	Ту	pe	•	System	1	Clea	n-up	DG	Curing	roc	Eco
PRODUCT SELECTION	Rubber Moulds	Steel Forms	Aluminium	Form Ply	Raw Timber Formwork	Styrene	Fiberglass	Rotomoulds	Tilt-Up Panels	Solvent	Water Based	Reactive (Soap Forming)	Non Reactive	Hybrid	Non Staining	Easy Clean	Dangerous Goods	All Compounds	Fumes	Biodegradable GREEN
Concrete Moulds / Form Release																				
COLORO Green Release Agent		✓		<b>✓</b>			✓			✓		<b>✓</b>							$\checkmark$	$\checkmark$
Mould Release Oil 2076		✓		✓	$\overline{\mathbf{V}}$		✓			✓			✓						$\checkmark$	$\checkmark$
COLORO HS FORM RELEASE WB	$\overline{\checkmark}$	$\checkmark$	✓	✓	✓	$\overline{\checkmark}$	$\checkmark$				✓			✓	$\checkmark$				$\checkmark$	✓
Mould Release SCW		$\checkmark$	$\checkmark$	✓	$\checkmark$						$\checkmark$		$\checkmark$					$\checkmark$		$\checkmark$
WB Mould Release (canola)*											✓			✓						✓
COLORO Lano-lease		✓	<b>✓</b>	<b>✓</b>	<b>✓</b>					✓										
COLORO FORM RELEASE D		✓	✓	✓	✓					✓				$\checkmark$			✓			
Mould Release WB		✓	<b>✓</b>	<b>✓</b>							✓				<b>✓</b>	✓				✓
COLORO FREEFORM WB		✓	✓	✓							✓				<b>✓</b>	✓				✓
Tilt up Slabs / Bondbreakers																				
COLORO Bondbreaker									✓	✓							$\checkmark$			
Release Agent 2031 🖯									✓		✓		✓		✓					✓
Release Agent 2031X 🖯									✓		✓			✓	✓	✓				✓
Break & Cure (EP2085)									✓		✓	✓						✓	✓	✓
Tilt Release WB									✓		✓									✓
Rotomoulding Release Agents																				
WB Release Agent 2079		✓	✓	✓	✓			✓			✓		✓		✓					

PLEASE NOTE As there are many variations to each mould surface listed above. The products for each surfaces in the guide are suggestions only. Refer to product data sheet for details on application & material safety data sheet for safety & first aid.

IMPORTANT Low solids content is recommended for impervious moulds, while higher solids for porous mould surfaces.